



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/568,539

02/17/2006

Wilhelm A. Keller

068754-0312

4613

22428 7590 03/10/2009
FOLEY AND LARDNER LLP
SUITE 500
3000 K STREET NW
WASHINGTON, DC 20007

EXAMINER

HAGEDORN, MICHAEL E

ART UNIT

PAPER NUMBER

3754

MAIL DATE

DELIVERY MODE

03/10/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/568,539	Applicant(s) KELLER, WILHELM A.	
	Examiner Michael Hagedorn	Art Unit 3754	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 December 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 - 3, 5 - 11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 - 3, 5 - 11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1 – 3 and 5 – 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinz (EP 0 292 472 B1) in view of Chu (US Patent 4,743,229).

Heinz teaches two dispensing devices (1', 1, 2, 2'), a transfer unit (8 or 11) for connection of the dispensing devices (1', 1, 2, 2') having pairs of through-going connecting channels (9' or figure 1a) between the outlets (6', 6, 7, 7') for the both of the dispensing devices (1', 1, 2, 2'); wherein the connecting channels (9' or figure 1a) are removably attachable for transferring liquid from one dispensing device to another that is arranged in parallel to (figure 1); the transfer unit (Figure 1a) comprises connecting channels from the outlets of the dispensing devices (1 & 1') to a common coupling having at least one outlet for a mixer or an accessory (11'); wherein at least one of the storage containers (1', 1 or 2, 2') comprise a mixing arrangement; the dispensing devices are double dispensing devices (figure 1); double syringes (1', 1, 2, 2') with double thrust rods (4', 4, 5, 5'); double cartridges (3) with dispensing pistons (15).

Heinz fails to teach locking members on the transfer unit and flanges on the dispensing devices

Art Unit: 3754

Chu teaches locking members (52 & 54) on the transfer unit (50) and flanges on the dispensing devices (46 & 48)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the transfer unit and dispensing device, provided with locking members because this would prevent the devices from leaking liquid during the transfer.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patents (4,978,336); (4,359,049); (6,458,095); (5,935,437); (6,698,622); (5,957,166); (6,132,396); (4,044,757); (7,322,956); (7,135,027).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Hagedorn whose telephone number is (571)270-5705. The examiner can normally be reached on 7am - 5pm; Mon thru Fri except federal holidays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (571)270-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3754

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. H./
Examiner, Art Unit 3754

/Kevin P. Shaver/
Supervisory Patent Examiner, Art Unit 3754